



Bayer Environmental Science

((SMALL STICKER
& GEL LABEL))

MAXFORCE®
ROACH KILLER BAIT GEL

GROUP	20	INSECTICIDE
-------	----	-------------

COMMERCIAL

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. MAY BE HARMFUL IF SWALLOWED. AVOID CONTACT WITH SKIN, EYES AND CLOTHING. WEAR CHEMICAL-RESISTANT GLOVES DURING APPLICATION. KEEP EXPOSED GEL AWAY FROM OPEN FOODS, FOOD CONTACT SURFACES, CHILDREN OR PETS. DO NOT REMOVE BAIT FROM APPLICATOR. WASH HANDS THOROUGHLY AFTER USE.

FIRST AID: IF BAIT GEL IS SWALLOWED, CALL A POISON CONTROL CENTRE OR DOCTOR IMMEDIATELY FOR TREATMENT ADVICE. HAVE PERSON SIP A GLASS OF WATER IF ABLE TO SWALLOW. DO NOT INDUCE VOMITING UNLESS TOLD TO DO SO BY A POISON CONTROL CENTRE OR DOCTOR. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. TAKE CONTAINER, LABEL OR PRODUCT NAME AND PEST CONTROL PRODUCT REGISTRATION NUMBER WITH YOU WHEN SEEKING MEDICAL ATTENTION.

GUARANTEE:

WARNING, CONTAINS THE ALLERGENS SHRIMP, FISH AND SOY.

HYDRAMETHYLNON 2.15%

Contains 1,2-benzisothiazolin-3-one at 0.1% or 0.04%, 5-chloro-2-methyl-4-isothiazolin-3-one at 0.001 % and 2-methyl-4-isothiazolin-3-one at 0.0004 % as preservatives



READ THE LABEL & CARTON BEFORE USING.
KEEP OUT OF REACH OF CHILDREN.
DISCARD USED RESERVOIRS IN GARBAGE.

Notification Change

REGISTRANT:
BAYER CROPSCIENCE INC.*
~~#100, 3131-114th AVENUE S.E.~~
CALGARY, ALBERTA
~~T2Z 3X2~~

Suite 200
160 Quarry Park Blvd. S.E.
Calgary, Alberta T2C 3G3

*BAYER ENVIRONMENTAL SCIENCE
A BUSINESS GROUP OF BAYER CROPSCIENCE

REGISTRATION NO. 24240
PEST CONTROL PRODUCTS ACT

NET CONTENTS: 30 g

060519



Bayer Environmental Science

((CARTON))

MAXFORCE®

ROACH KILLER BAIT GEL

GROUP	20	INSECTICIDE
--------------	-----------	--------------------

COMMERCIAL

CONTAINS: 4 PRE-FILLED 30 g BAIT RESERVOIRS AND

50 PRE-FILLED 30 g BAIT RESERVOIRS,

NET CONTENTS: 120 g and 1.5 Kg

GUARANTEE:

WARNING, CONTAINS THE ALLERGENS SHRIMP, FISH AND SOY.

HYDRAMETHYLNON 2.15%

Contains 1,2-benzisothiazolin-3-one at 0.1% or 0.04%, 5-Chloro-2-methyl-4-isothiazolin-3-one at 0.001 % and 2-methyl-4-isothiazolin-3-one at 0.0004 % as preservatives

REGISTRATION NO. 24240
PEST CONTROL PRODUCTS ACT



READ THE LABEL & CARTON BEFORE USING.

Registrant: Bayer CropScience Inc.*

~~#100, 3131-114th Avenue S.E.~~

Calgary, Alberta

T2Z 3X2

Suite 200

160 Quarry Park Blvd. S.E.

Calgary, Alberta T2C 3G3

Notification Change

*Bayer Environmental Science
A Business Group of Bayer CropScience

KEEP OUT OF REACH OF CHILDREN.
DISCARD USED RESERVOIRS IN GARBAGE

FOR USE WITH BAIT GUN

FOR USE IN HOMES AND NON-FOOD AREAS OF RESTAURANTS AND OTHER
FOOD AND FEED HANDLING ESTABLISHMENTS
PLACE BAIT GEL ONLY IN AREAS NOT ACCESSIBLE TO CHILDREN OR PETS.
WRAP USED RESERVOIRS AND PLACE IN GARBAGE.

**DIRECTIONS FOR USE: APPLICATIONS OF THIS PRODUCT, OTHER THAN
AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.**

Use MAXFORCE® Roach Killer Bait Gel only in areas not accessible to children or pets. Wear chemical-resistant gloves during application. Keep exposed gel away from open food and food contact surfaces. Bait should be applied in cracks and crevices in homes, in NON-FOOD AREAS of restaurants and other food and feed handling establishments. To apply gel, place reservoir in bait gun and dispense. Reapply when bait is no longer visibly present, according to the remaining level of infestation. Numerous smaller spots provide faster control than fewer larger spots. Pest population reduction will be apparent within a week or less. Apply the gel into seams under and behind refrigerators, stoves, sinks, dishwashers, washing machines, dryers and tubs, into openings around drains, sewers, and water pipes; in CRACKS and CREVICES along baseboards and in corners of cabinets, cupboards, and food closets.

Recap dispenser after completing treatment. Non-food areas are areas such as garbage rooms, lavatories, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Do not use this product in or on electrical equipment due to the possibility of shock hazard. Caution should be taken to ensure that bait gel is not placed in such a manner that it could be dislodged or washed into sensitive areas i.e. food processing equipment, packaging, aquariums, pet cages and areas frequented by small children.

COCKROACH SPECIES	APPLICATION RATE (Per m ²)	RECOMMENDED
SMALL - GERMAN OR BROWN BANDED	1-2 SPOTS OR 4-8 cm BEAD	SPOT SIZE
LARGE - AMERICAN, SMOKEY BROWN OR ORIENTAL	2-4 SPOTS, OR 8-16 cm BEAD	0.25 - 0.50 g

RESISTANCE-MANAGEMENT RECOMMENDATIONS:

For resistance management, please note that MAXFORCE Roach Killer Bait Gel contains a Group 20 insecticide. Any insect population may contain individuals naturally resistant to MAXFORCE Roach Killer Bait Gel and other Group 20 insecticides. The resistant individuals may dominate the insect population if this group of insecticides is used repeatedly in the same treatment areas. Other resistance mechanisms that are not linked to site of action but are specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed. To delay insecticide resistance:

- Where possible, rotate the use of MAXFORCE Roach Killer Bait Gel or other Group 20 insecticides with different groups that control the same pests in the treatment area.

- Insecticide use should be based on an IPM program that includes scouting, record keeping, and considers cultural, biological and other chemical control practices.
- Monitor treated pest populations for resistance development.
- Contact your local extension specialist for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact Bayer CropScience Inc. at 1-888-283-6847 or via the internet at www.bayercropscience.ca.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes, and clothing. Wear chemical-resistant gloves during application. Keep exposed gel away from open foods, food contact surfaces, children and pets. Wash hands thoroughly after use. Do not remove bait from applicator. May be harmful if swallowed.

FIRST AID: If bait gel is swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: Do not reuse empty container. Dispose of unused or spoiled bait in accordance with local requirements. Follow provincial instruction for any required additional cleaning of the container prior to its disposal. Make the empty container unsuitable for further use. Dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill and for clean-up of spills

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Maxforce is a trademark of the Bayer Group.

MADE IN U.S.A.
060519

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.