

[CONTAINER LABEL – ENGLISH]

Prescription Treatment brand
P.I.
CONTACT INSECTICIDE Formula 1
Pressurized product

KILLS: Angoumois Grain Moths, Ants, Bed Bugs, Booklice, Carpet Beetles, Centipedes, Chocolate Moths, Cigarette Beetles, Clothes Moths, Cockroaches, Confused Flour Beetles, Crickets, Drug Store Beetles, Fleas, Flies, Fruit Flies, Gnats, Grain Mites, Horn Flies, House Flies, Indian Meal Moths, Millipedes, Mosquitoes, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, Silverfish, Small Flying Moths, Sowbugs, Spiders, Stable Flies, Ticks and Wasps.

FOR USE IN AND AROUND: Apartments, Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Motels, Nursing Homes, Resorts, Restaurants and other Food Handling Establishments, Schools, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks), Utilities, Warehouses, and other Commercial and Industrial Buildings.

**COMMERCIAL
GUARANTEE :**

Pyrethrins	0.5%
Piperonyl Butoxide, Technical	4.0%

REGISTRATION NO. 27220 PEST CONTROL PRODUCTS ACT
KEEP OUT OF REACH OF CHILDREN
READ THE LABEL AND ATTACHED BROCHURE BEFORE USING
DANGER
EXTREMELY FLAMMABLE
EXPLOSIVE
NET WEIGHT: 510 grams

BASF Canada Inc., 100 Milverton Drive, 5th Floor, Mississauga, ON
L5R 4H1 Tel. No. 1-877-371-2273

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY, INVOLVING
THIS PRODUCT, CALL DAY OR NIGHT 1-800-454-2673.

DIRECTIONS FOR USE
SEE BROCHURE FOR COMPLETE DIRECTIONS FOR USE.

HOW TO USE BASF CRACK AND CREVICE® INJECTION SYSTEM: Use BASF Inject P.I. Insecticide with the supplied actuator and injection tubes or other BASF equipment.

Inject P.I. Insecticide into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Apply product for one second. For light infestations move injector tip along cracks while treating at the rate of 0.9 m (three linear feet) per second. For heavy infestations move injector tip along at 0.3 meters (one linear foot) per second. For wall and equipment voids calculate the void's volume and treat at the rate of five to ten seconds per 0.08 cubic meters (three cubic feet). Several holes may be required in long running voids. Repeat as necessary.

FLYING INSECTS (Flies, Fruit Flies, Gnats, Mosquitoes, Small Flying Moths): SPACE TREATMENT: Close all windows and doors and direct fog upward at a rate of 1 to 3 seconds per 28.5 cubic meters. Disperse in all locations. Keep area closed for 15 min. Open and ventilate before reoccupying. Repeat treatment as necessary.

ANTS, BOOKLICE, CENTIPEDES, CRICKETS, MILLIPEDES, ROACHES, SILVERFISH, SOWBUGS, AND SPIDERS: Inject into cracks and crevices in all hiding places behind baseboards, sinks, cabinets, meter boxes, door frames, windows.

SPACE TREATMENT: Open cabinets and doors in area to be treated. Turn off air conditioners and fans and close doors and windows before treating. Apply at the rate of 20 seconds per 28.5 cubic meters of space. Disperse toward area suspected of harboring the greatest insect infestations. Disperse in all locations contacting as many insects as possible. Keep area closed for 15 minutes. Open and ventilate the treated area before reoccupying. Repeat treatment as necessary.

PRECAUTIONS - KEEP OUT OF REACH OF CHILDREN.

DANGER: EXTREMELY FLAMMABLE - EXPLOSIVE. Harmful if absorbed through skin. Avoid contact with eyes, skin, or clothing. Wash thoroughly with soap and water after handling. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 54° C may cause bursting. Do not contaminate water, food or feed by storage or disposal. Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

NOTICE TO APPLICATOR: For prolonged exposure indoors, wear a Dust/Mist filtering respirator (MSHA/NIOSH approval number prefix TC 21C).

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give ANY liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.

TOXICOLOGICAL INFORMATION: Contains petroleum distillate. May pose an aspiration pneumonia hazard. Treat symptomatically

STORAGE: Store in a cool area away from heat or open flame. Product should only be used when can temperature is above 16° C. If can temperature is below 16° C, store at room temperature until a temperature above 16° C is reached.

DISPOSAL: For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and provincial regulatory agency in case of spill,

and for clean up of spills. This container may be recycled in aerosol recycling centers. Before recycling, empty the can by using the product according to the label (DO NOT PUNCTURE!). If there is no container collections site in your area, dispose of empty container in accordance with provincial requirements.

NOTICE TO USER: This pest control product is to be used in only in accordance with the directions o the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to person or property that arises from any such use of this product.

Contains no CFCs or other ozone depleting substances.

[SUPPLEMENTAL LABEL – ENGLISH]

PRESCRIPTION TREATMENT brand
P.I.
CONTACT INSECTICIDE Formula 1

REGISTRATION NO. 27220 PEST CONTROL SOLUTIONS

ADDITIONAL DIRECTIONS FOR USE

SEE LABEL ON PRODUCT CONTAINER FOR PRECAUTIONS, FIRST AID AND PRODUCT STORAGE AND DISPOSAL INSTRUCTIONS.

HOW TO USE BASF CRACK AND CREVICE® INJECTION SYSTEM: Use BASF P.I. with the supplied actuator and injection tubes or other BASF equipment.

Inject P.I. into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Apply product for one second. For light infestations move injector tip along cracks while treating at the rate of 0.9 m (three linear feet) per second. For heavy infestations move injector tip along at 0.3 meters (one linear foot) per second. For wall and equipment voids calculate the void's volume and treat at the rate of five to ten seconds per 0.08 cubic meters (three cubic feet). Several holes may be required in long running voids. Repeat as necessary.

BED BUGS: Take bed apart and treat cracks, joints and interior of framework. Treat mattresses and box springs; especially tufts, folds, and edges. Also treat picture frames, moldings and cracks and crevices in the room. Do not use in patient rooms in hospitals and nursing homes.

CARPET BEETLES: Locate source of infestation. Treat nearby cracks and crevices and perform general volumetric treatment of infested area.

CLOTHES MOTHS: Locate source of infestation. Treat nearby cracks and crevices and perform general volumetric treatment of infested area. To protect woolens and other keratin containing materials, brush clean, then air out. Before treating entire article, treat a small hidden area of fabric to determine if staining will occur. Treat thoroughly by holding dispenser at least 18 inches from garment. Treated articles should be put into a darkened closet or other darkened storage such as cedar chests, storage drawers, or sealable plastic fabric bags. For best protection clean and treat inside of closets or storage areas by treating one second per 0.92 square meters before putting treated materials away. Treatment should be repeated every six months or as needed. Dry clean treated clothes before wearing.

WASPS AND BEES: For treatment of these pests inside structural voids, locate all insect entrances. Close all but one opening. Determine size of void. Inject 5 to 10 seconds per 0.08 cubic meters of void into remaining opening. For best results, treat at dusk or later.

WASP NESTS: Apply mist directly on insects and their nests from approximately 50 cm. Contacted insects will fly away from fog. Applications should be made in late evening when insects are at rest. Disperse into hiding and breeding places contacting as many insects as possible. Do not apply when bees are foraging in the area.

CARPET BEETLES, CIGARETTE BEETLES, CONFUSED FLOUR BEETLES, DRUG STORE BEETLES, GRAIN MITES, RED FLOUR BEETLES, RICE WEEVILS, AND SAWTOOTHED GRAIN BEETLES (For exposed adult and larval stages): Contact as many insects as possible. Inject into cracks and crevices of pantries, cabinets, food processing and handling equipment and other places where insects harbor. Apply around cartons, and containers, and other areas where these insects tend to congregate.

SPACE TREATMENT: Apply 20 seconds per 28.5 cubic meters of space. Repeat treatment weekly or as insects appear. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

ANGOUMOIS GRAIN MOTH, CHOCOLATE MOTH, INDIAN MEAL MOTH (For exposed adult and larval stages): Close all doors and windows. Direct into all parts of room, especially around stored product containers, pallets, and darkened areas.

SPACE TREATMENT: Apply 5 to 10 seconds for each 28.5 cubic meters of space. Keep area closed for 15 minutes following treatment. Open and ventilate before reoccupying. Repeat treatment weekly or as necessary. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

FLEAS IN BUILDINGS:

SPACE TREATMENT: Hold product 90 cm above floor and direct toward floor and lower walls at a rate of 10 seconds per 9.5 m² making sure that all floor, sofa and chair surfaces are contacted. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Repeat treatment after 7 days or as necessary.

TICKS: Holding container 92 cm above the floor, direct P.I. toward pet beds and resting quarters. Treat adjacent cracks and crevices such as behind baseboards and edges of carpet and floor covers. Treat higher cracks such as upper door jams and window framing, behind pictures and other areas where females may crawl to lay eggs. Repeat treatment as necessary.

SPACE TREATMENT FOR LARGE VOID AREAS: (Attics, false ceilings, and crawl spaces.) For application with BASF Crack & Crevice actuator, injection tubes or other BASF equipment.

For exposed stages of ants, beetles, centipedes, cockroaches, crickets, millipedes, silverfish, sowbugs and spiders harboring in large voids, calculate void volume and treat at a rate of 20 seconds per 28.5 cubic meters. Repeat treatment as necessary.

IN HOSPITALS AND NURSING HOMES: Patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS: When applying a space treatment in food handling areas, the areas of the operation being treated should be shut down. In food processing areas, all utensils, shelving, etc., where food will be handled should be covered or removed before treatment or thoroughly washed with an effective cleaning compound followed by a potable water rinse prior to use.

OUTDOOR GROUND APPLICATION: Flies, Gnats and Mosquitoes in open areas near buildings and in campgrounds. Best results are obtained when wind speed is eight (8) Km/h or less. Apply at a rate of 5 to 15 seconds per 100 square meters. Apply in wide swaths across area to be treated. Allow treatment to penetrate dense foliage. Repeat treatment as necessary. Do not apply when bees are foraging in the area.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.